

**CITY OF YONKERS, NEW YORK  
ENGINEERING DEPARTMENT**

**STORM WATER MANAGEMENT REQUIREMENTS - DEPARTMENT OF HOUSING & BUILDINGS PERMITS**

(This form to be filled out only by the Licensed Design Professional)

Project Address: .....	Block:	Lot:
.....		
.....		
Work Description: .....	Housing & Buildings Application Number:	
.....		
.....		

**Select one (A - F) of the following and provide information as required:**

- A.**  This project results in the creation of impervious surface areas that total less than 200 square feet in size. No Engineering Department review required.
- 
- B.**  This project results in the creation of impervious surface areas between 200 square feet and 499 square feet in size. Drywell storage volume for the project improvements shall be provided as indicated below:
- |       |          |   |   |                          |
|-------|----------|---|---|--------------------------|
| ..... | sq. feet | total new impervious area               | X | 0.16 ft. runoff increase |
| ..... | cu. feet | minimum drywell storage to be provided. |   |                          |
- 
- C.**  This project results in the creation of impervious surface areas between 500 square feet and 999 square feet in size. Drywell storage volume for the project improvements shall be provided as indicated below:
- |   |                     |   |                     |
|---|---------------------|---|---------------------|
| <input type="checkbox"/> 500 - 549 sq. ft.: | <u>110 cu. feet</u> | <input type="checkbox"/> 750 - 799 sq. ft.: | <u>160 cu. feet</u> |
| <input type="checkbox"/> 550 - 599 sq. ft.: | <u>120 cu. feet</u> | <input type="checkbox"/> 800 - 849 sq. ft.: | <u>170 cu. feet</u> |
| <input type="checkbox"/> 600 - 649 sq. ft.: | <u>130 cu. feet</u> | <input type="checkbox"/> 850 - 899 sq. ft.: | <u>180 cu. feet</u> |
| <input type="checkbox"/> 650 - 699 sq. ft.: | <u>140 cu. feet</u> | <input type="checkbox"/> 900 - 949 sq. ft.: | <u>190 cu. feet</u> |
| <input type="checkbox"/> 700 - 749 sq. ft.: | <u>150 cu. feet</u> | <input type="checkbox"/> 950 - 999 sq. ft.: | <u>200 cu. feet</u> |
- ..... cu. feet minimum drywell storage to be provided.
- 
- D.**  This project results in the creation of impervious surface areas between 200 square feet and 999 square feet in size. An alternative project stormwater management analysis has been performed by the project Licensed Design Professional and is attached (25-year, 6.0 inch rainfall basis).
- 
- E.**  This project results in the creation of impervious surface areas that total in excess of 1000 square feet in size. A project stormwater management analysis has been performed by the project Licensed Design Professional and is attached (25-year, 6.0 inch basis).
- 
- F.**  This project disturbs an area equal to or greater than 1 acre in size. The project will be required to obtain a Stormwater Management Permit from the Engineering Deptment, in conformance to the requirements of City of Yonkers Code § 56-174 - Stormwater Management and Erosion and Sediment Control.

Design Professional Name, Address & Phone Number: ..... ..... .....		Approved - Engineering <input type="checkbox"/>	
		Disapproved - Engineering <input type="checkbox"/>	
Design Professional Signature:		Comments: ..... ..... .....	
Date:	.....	Date:	By:
	<b>Stamp</b>		